

**Psychiatrist:** A physician who specializes in dealing with the prevention, diagnosis, and treatment of mental, addictive, and emotional disorders, such as psychoses, depression, anxiety disorders, substance abuse disorders, developmental disabilities, sexual dysfunctions and adjustment reactions.

**Other Health (Care) Professional:** A person entitled by training and experience and possibly licensure to assist a doctor and who works with one or more medical doctors. Examples include: doctor's assistants, nurse practitioners, nurses, lab technicians, and technicians who administer shots (i.e., allergy shots). Also include paramedics, medics and physical therapists working with or in a doctor's office. Do not include: dentists, oral surgeons, chiropractors, chiropodists, podiatrists, naturopaths, Christian Science healers, opticians, optometrists, and psychologists or social workers.

**Social Worker:** A person who assists patients and their families in handling social, environmental and emotional problems associated with illness or injury. Can include social work specialists, such as a medical or psychiatric social worker.

**IMMUNIZATION – IMQ**  
**Target Group: SPs Birth +**

**BOX 0**

**CHECK ITEM IMQ.005:**

IF SP AGE >= 2, CONTINUE.  
 OTHERWISE, GO TO IMQ.020.

**BOX 1**

OMITTED

IMQ.011      Hepatitis (Hep-a-ti-tis) A vaccine is given as a two dose series to some children older than 2 years and also to some adults, especially people who travel outside the United States. It has only been available since 1995. {Have you/Has SP} **ever** received the hepatitis A vaccine?

INTERVIEWER INSTRUCTION: A COMBINATION HEPATITIS A AND HEPATITIS B VACCINE SHOULD BE COUNTED AS THE A VACCINE FOR THE PURPOSE OF THIS QUESTION. CODE 'YES AT LEAST 2 DOSES' IF RESPONDENT ANSWERS 3 OR 4 DOSES WERE RECEIVED. CODE 'LESS THAN 2 DOSES' ONLY IF MENTIONED BY RESPONDENT.

YES AT LEAST 2 DOSES .....	1
LESS THAN 2 DOSES .....	2
NO DOSES.....	3
REFUSED .....	7
DON'T KNOW .....	9

CAPI INSTRUCTION:  
 REMOVE CURRENT HELP.

IMQ.020      Hepatitis (Hep-a-ti-tis) B vaccine is given in three separate doses and has been recommended for all newborn infants since 1991. In 1995, it was recommended that adolescents be given the vaccine. Persons who may be exposed to other people's blood, such as health care workers, also may have received the vaccine. {Have you/Has SP} **ever** received the 3-dose series of the hepatitis B vaccine?

INTERVIEWER INSTRUCTION: A COMBINATION HEPATITIS A AND HEPATITIS B VACCINE SHOULD BE COUNTED AS THE B VACCINE FOR THE PURPOSE OF THIS QUESTION. CODE 'YES AT LEAST 3 DOSES' IF RESPONDENT ANSWERS 4 DOSES WERE RECEIVED. CODE 'LESS THAN 3 DOSES' ONLY IF MENTIONED BY RESPONDENT.

YES AT LEAST 3 DOSES .....	1
LESS THAN 3 DOSES .....	2
NO DOSES.....	3
REFUSED .....	7
DON'T KNOW .....	9

CAPI INSTRUCTION:  
 REMOVE CURRENT HELP.

<p style="text-align: center;"><b>BOX 2</b></p> <p style="text-align: center;">OMITTED</p>
--

<p style="text-align: center;"><b>BOX 3</b></p> <p><b>CHECK ITEM IMQ.050:</b> IF SP = FEMALE AND AGE IS &gt;= 9 AND &lt;= 59, CONTINUE. IF SP = MALE AND AGE IS &gt;= 9 AND &lt;= 59, GO TO IMQ.070. OTHERWISE, GO TO END OF SECTION.</p>
---

IMQ.060      Human Papillomavirus (HPV) vaccine is given to prevent cervical cancer in girls and women. There are two HPV vaccines available called Cervarix and Gardasil. It is given in 3 separate doses over a 6 month period. {Have you/Has SP} **ever** received one or more doses of the HPV vaccine?

- YES ..... 1 (IMQ.080)
- NO ..... 2 (END OF SECTION)
- REFUSED ..... 7 (END OF SECTION)
- DON'T KNOW ..... 9 (END OF SECTION)

IMQ.070      Human Papillomavirus (HPV) vaccine is given to prevent HPV infection and genital warts in boys and men. It is given in 3 separate doses over a 6 month period. {Have you/Has SP} **ever** received one or more doses of the HPV vaccine? (The brand name for the vaccine is Gardasil.)

- YES ..... 1 (IMQ.090)
- NO ..... 2 (END OF SECTION)
- REFUSED ..... 7 (END OF SECTION)
- DON'T KNOW ..... 9 (END OF SECTION)

IMQ.080      Which of the HPV vaccines did {you/SP} receive, Cervarix or Gardasil?

- CERVARIX ..... 1
- GARDASIL ..... 2
- BOTH ..... 3
- REFUSED ..... 7
- DON'T KNOW ..... 9

IMQ.090      How old {were you/was SP} when {you/SP} received your first dose of {Cervarix/Gardasil/the vaccine}?

HARD EDIT: IF AGE SP RECEIVED FIRST DOSE IS GREATER THAN SP'S CURRENT AGE, DISPLAY  
"AGE SP RECEIVED FIRST DOSE CANNOT EXCEED SP'S CURRENT AGE."

SOFT EDIT: IF DIFFERENCE BETWEEN SP'S CURRENT AGE AND AGE SP RECEIVED FIRST DOSE  
IS MORE THAN SEVEN YEARS, DISPLAY "UNLIKELY RESPONSE AS HPV VACCINES WERE NOT  
AVAILABLE AT THAT TIME. PLEASE CONFIRM AGE SP RECEIVED FIRST DOSE."

|\_|\_|\_|\_|  
ENTER AGE IN YEARS

REFUSED ..... 7  
DON'T KNOW ..... 9

CAPI INSTRUCTION:

IF SP = MALE, THEN FILL GARDASIL

IF IMQ.080 = 1, DISPLAY "Cervarix"; ELSE IF IMQ.080 = 2, DISPLAY "Gardasil"; ELSE DISPLAY "the  
vaccine".

IMQ.100      How many doses of {Cervarix/Gardasil/the vaccine} {have you/has SP} received?

1 DOSE ..... 1  
2 DOSES ..... 2  
3 DOSES ..... 3  
REFUSED ..... 7  
DON'T KNOW ..... 9

CAPI INSTRUCTION:

IF SP = MALE, THEN FILL GARDASIL

IF IMQ.080 = 1, DISPLAY "Cervarix"; ELSE IF IMQ.080 = 2, DISPLAY "Gardasil"; ELSE DISPLAY "the  
vaccine".